

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/751,174	12/31/2003	Nicholas W. Oakley	42.P18067	3400
7590 01/10/2006			EXAMINER	
JOHN P. WARD			WRIGHT, INGRID D	
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP 12400 WILSHIRE BOULEVARD			ART UNIT	PAPER NUMBER
SEVENTH FLOOR			2835	
LOS ANGELES, CA 90025-1026			DATE MAILED: 01/10/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	10/751,174	OAKLEY, NICHOLAS W.
Office Action Summary	Examiner	Art Unit
	Ingrid Wright	2835
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by stat Any reply received by the Office later than three months after the ma earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 1.136(a). In no event, however, may a reply be ti od will apply and will expire SIX (6) MONTHS fron tute, cause the application to become ABANDONI	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>28</u> This action is FINAL . 2b) ☐ TI Since this application is in condition for allow closed in accordance with the practice unde	nis action is non-final. vance except for formal matters, pr	
Disposition of Claims		
4) Claim(s) 1-17 is/are pending in the application 4a) Of the above claim(s) is/are withd 5) Claim(s) is/are allowed. 6) Claim(s) 1-17 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and	rawn from consideration.	
Application Papers		
 9) The specification is objected to by the Examination 10) The drawing(s) filed on 31 December 2003 is Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the 	s/are: a)⊠ accepted or b)⊡ object he drawing(s) be held in abeyance. Se ection is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the papplication from the International Bure * See the attached detailed Office action for a limit of the papplication from the section for a limit of the section for a limit of the papplication from the section for a limit of the papplication from the section for a limit of the section	ents have been received. ents have been received in Applica riority documents have been receive eau (PCT Rule 17.2(a)).	tion Noved in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail I 08) 5) Notice of Informal 6) Other:	

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-5,7-11,14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kung et al. US 6384811 B1.

With respect to claim 1, Kung et al. teaches (fig. 6) a portable computer (not labeled) comprising a base (3), a lid (2), a first link (40) hinged to the base (3) about a first axis at a first position, and hinged to the lid (2) about a second axis; and a second link (42) hinged to the base (3) about a third axis at a second position, and hinged to the lid (2) about a fourth axis, (Column 3, Lines 65-67 & Column 4, Lines 1-8).

Kung et al. lacks a distance between the first position and the second position, being shorter than one half the length of the base.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to reposition the links indicated at by Kung et al., in order to provide an alternate equivalent means of providing a support structure for the lid. Repositioning the links will still provide the same support for a lid in a portable computer.

With respect to claim 2, Kung et al. teaches (fig. 7) the first (40) and second link (42) situated to position an edge of the display (2) a distance from a first edge of the base (3) towards a second opposite edge of the base, when the lid (2) is in an unfolded position (Column 3, Lines 65-67 & Column 4, Lines 1-20).

With respect to claim 3, Kung et al. teaches (fig. 6) the first link (40) is pivotally coupled to the first edge of the base (3), and the second link (42) is pivotally coupled to the base (3) between the first link (40) and the second edge of the base (3) (Column 3, Lines 65-67 & Column 4, Lines 1-20).

With respect to claim 4, Kung et al. teaches (fig. 7) in the unfolded position, a distance between the first link (40) pivotally coupled to the base (3) and second link (42) pivotally coupled to the base (3), is less than a distance between the bottom of the lid (2) and the first edge of the base (3).

With respect to claims 5,11 & 16 respectively, Kung et al. teaches (fig. 6) the apparatus is mobile computer system (not labeled).

With respect to claim 7, Kung et al. teaches (fig. 7) a portable computer (not labeled) comprising a base (3); a Lid (2); a first link (40) pivotally coupled to the base (3) and pivotally coupled to the lid (2); and a second link (42) pivotally coupled to the base (3) and pivotally coupled to the lid (2), the first and second link (40,42) positioned to position an edge of the display (2) a distance from a first edge of the base (3) towards a second opposite edge of the base (3), when the lid (2) is in an unfolded position.

Kung et al. lacks a distance between the first position and the second position, being shorter than one half the length of the base.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to reposition the links indicated at by Kung et al., in order to provide an alternate equivalent means of providing a support structure for the lid. Repositioning the links will still provide the same support for a lid in a portable computer.

With respect to claim 8, Kung et al. teaches (fig. 7) the first link (40) has a length greater than the second link (42).

Application/Control Number: 10/751,174

Art Unit: 2835

With respect to claim 9, Kung et al. teaches (fig. 7) the first link (40) is pivotally coupled to first edge of the base (3), and the second link (42) is situated between the first link (40) and the second edge of the base (3).

With respect to claim 10, Kung e al. teaches (fig. 7) in the unfolded position, a distance between the first link (40) pivotally coupled to the base (3) and second link (42) pivotally coupled to the base (3), is less than a distance between the bottom of the lid and the first edge of the base.

With respect to claim 11, Kung et al. teaches (fig. 6) the apparatus is mobile computer system (not labeled).

With respect to claim 14, Kung et al. teaches (fig. 6) a portable computer (not labeled) comprising a base (3); a lid (2); a first link (40) pivotally coupled to a first edge of the base (3) at a first position and pivotally coupled to lid (2), a first distance from an edge of the lid (2); and a second link (40) pivotally coupled to the base (3) at a second position, a second distance from the first link (40), and pivotally coupled to an edge of the lid (2).

Kung et al. lacks a distance between the first position and the second position, being shorter than one half the length of the base.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to reposition the links indicated at by Kung et al., in order to provide an alternate equivalent means of providing a support structure for the lid. Repositioning the links will still provide the same support for a lid in a portable computer.

With respect to claim 15, Kung et al. teaches (fig. 7) the first link (40) and second link (42) are coupled to the base (3) and lid (2), to position the edge of the lid (2) a third distance from the first edge of the base (3) towards a second opposite edge of the base (3), when the lid (2) is in an unfolded position.

Art Unit: 2835

2. Claims 6,12,13, & 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kung et al. US 6384811 B1 in view of Landry et al. US 6654234 B2.

Page 5

With respect to claim 6, in regards to all the limitations of claims 1-5 above, Kung et al. teaches (fig. 6) the first and second links (40,42) are pivotally coupled to a member section (124) of the base (3), the member section pivotally coupled to the base (3).

Kung et al. does not teach a member section of the base (3), the member section pivotally coupled to the base (3).

Landry et al. teaches (fig. 5) a computing device (10) comprising a member section (124) of a base (74), the member section pivotally coupled to a base (74) (Column 4, Lines 59-67 & Column 5, Lines 1-21).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the pivotal member as taught by Landry et al. on the base of Kung et al., in order to provide a more pivotal rotation about any desired height and angle desired by the user (Column 5, Lines 19-21 of Landry et al.).

With respect to claims 12 & 17 respectively, in regards to all the limitations of claims 7 & 14-16 above, Kung et al. teaches (fig. 6) first and second links (40,42).

Kung et al. does not teach the first and second links are pivotally coupled to a member section of the base.

Landry et al. teaches (fig. 5) the member section (124) pivotally coupled to a base (74).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the pivotal member as taught by Landry et al. on the base with coupled links of Kung et al., in order to provide a more pivotal rotation about any desired height and angle desired by the user (Column 5, Lines 19-21 of Landry et al.).

Art Unit: 2835

With respect to claim 13, in regards to all the limitations of claim 7 above, Landry et al. teaches (fig. 5) the member section (124) pivotally coupled to a base (74).

Response to Arguments

3. Applicant's arguments with respect to claims 1-17 have been considered but are moot in view of the new ground(s) of rejection. In regards to the prior art, Kung et al. is relied upon as teaching a pair of links (see, fig. 6 & 7 of Kung et al.). The limitation "wherein a distance between the first position and the second position is shorter than one half the length of the base" was taken into consideration. Upon measuring the actual figure, it appears that the distance between the first position and the second position is longer than one half the length of the base by a small fraction. The limitation quoted above does not change the scope of claims. The art provided by the Kung et al. reads on the claims. One of ordinary skill could reposition the linkages and still provide the same support system for the lid. Therefore, the amendment does not make the claims patentable over the prior art.

Conclusion

4. THIS ACTION IS MADE FINAL. Applicants' amendment necessitated new grounds of rejection. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/751,174 Page 7

Art Unit: 2835

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ingrid Wright whose telephone number is (571)272-8392. The examiner

can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynn Feild can be reached on (571)272-2800, ext 35. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

1/4/06 IDW

> LYNN FEILD SUPERVISORY PATENT TYNMINER

TECHNOLOGY STRICE LAND